


Form - IV
(See rule 13)
ANNUAL / MONTHLY REPORT

Sl. No.	Particulars	:	
1	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)	:	Director AIIMS Prof. Dr. P.K. Singh
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Science, Patna (AIIMS)
	(iii) Address for Correspondence	:	AIIMS, Phulwarisharif, Patna - 801507
	(iv) Address of Facility	:	Same as above
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	Director@aiimspatna.org
	(vii) URL of Website	:	https://www.aiimspatna.org/
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Autonomous Organization
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:- BMW / 133 / 14B1984 valid up to 30-11-2023
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 30-11-2023
2.	Type of Health Care Facility		
	(i) Bedded Hospital	:	No. of Beds: 960
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 11149.0
		:	Red Category : 9515.3
		:	White : 220.0
		:	Blue Category : 1198.9
		:	General Solid waste: Outsourced

Roy
S.O

5. Details of the Storage, treatment, transportation, processing and Disposal Facility																											
(i) Details of the on-site storage facility	: Size : 4 × (12 × 10) sq. feet																										
	: Capacity : 4 × 30.61 m ³																										
	: Provision of on-site storage : (cold storage or any other provision)																										
(ii) Disposal facilities	<table border="0"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of</th> <th>Capacity</th> <th>Quantity</th> </tr> <tr> <th></th> <th>of</th> <th>treated</th> <th>disposed</th> </tr> <tr> <th></th> <th>year</th> <th>unit</th> <th>in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators Plasma</td> <td rowspan="10">}</td> <td rowspan="10">Handled by</td> <td rowspan="10">- CBMWTF Operator</td> </tr> <tr> <td>Pyrolysis</td> </tr> <tr> <td>Autoclaves</td> </tr> <tr> <td>Microwave</td> </tr> <tr> <td>Hydroclave</td> </tr> <tr> <td>Shredder</td> </tr> <tr> <td>Needle tip cutter or destroyer</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> </tr> <tr> <td>Deep burial pits:</td> </tr> <tr> <td>Chemical disinfection:</td> </tr> <tr> <td>Any other treatment equipment:</td> </tr> </tbody> </table>	Type of treatment Equipment	No of	Capacity	Quantity		of	treated	disposed		year	unit	in kg per annum	Incinerators Plasma	}	Handled by	- CBMWTF Operator	Pyrolysis	Autoclaves	Microwave	Hydroclave	Shredder	Needle tip cutter or destroyer	Sharps encapsulation or concrete pit	Deep burial pits:	Chemical disinfection:	Any other treatment equipment:
Type of treatment Equipment	No of	Capacity	Quantity																								
	of	treated	disposed																								
	year	unit	in kg per annum																								
Incinerators Plasma	}	Handled by	- CBMWTF Operator																								
Pyrolysis																											
Autoclaves																											
Microwave																											
Hydroclave																											
Shredder																											
Needle tip cutter or destroyer																											
Sharps encapsulation or concrete pit																											
Deep burial pits:																											
Chemical disinfection:																											
Any other treatment equipment:																											
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	: Red Category (like plastic, glass etc.) Handled by CBMWTF operator																										
(iv) No of vehicles used for collection and transportation of biomedical waste	: 02 (Two)																										
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	: Incineration Ash Quantity Generated Where disposed																										
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: IGIMS, Patna / Sangam Mediserve Pvt. Ltd																										
(vii) List of member HCF not handed over bio-medical waste.	: NA																										
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	: Yes, attached																										


 S. Q.

7. Details trainings conducted on BMW		
(i) Number of trainings conducted on BMW Management.	:	Nursing Officers-24 & House Keeping Staff - 0
(ii) Number of personnel trained	:	Total - 24
(iii) Number of personnel trained at the time of induction	:	
(iv) Number of personnel not undergone any training so far	:	NA
(v) Whether standard manual for training is available?	:	YES
(vi) Any other information	:	Nil
8. Details of the accident occurred during the year		
(i) Number of Accidents occurred	:	Nil
(ii) Number of the persons affected	:	Nil
(iii) Remedial Action taken (Please attach details if any)	:	Nil
(iv) Any Fatality occurred, details.	:	Nil
9. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
Details of Continuous online emission monitoring systems installed	:	
10. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	STP of 1200 KLD & ETP of 100 KLD has been commissioned, discharge consent order having memo No.-B-177 dt. 28-01-2021 is obtained from Bihar state pollution control board. 2.25 kg sludge generated in the month of June 2021
11. Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12. Any other relevant information	:	NA

Certified that the above report is for the period from

01 June 2021 to 30 June 2021

Rajeev
S.O

[Signature]

Name and Signature of the Head of the Institution

Date: 03-07-2021
Place: PATNA